



Oil Pattern Distance	38	Reverse Brush Drop	38	Oil Per Board	40 ul
Forward Oil Total	9.64 mL	Reverse Oil Total	12.04 mL	Volume Oil Total	21.68 mL
Tank Configuration	N/A	Tank A Conditioner	TERRAIN	Tank B Conditioner	FIRE

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	4L	4R	3	14	3	A	99	0.0	3.9	3.9	3960
2	8L	8R	5	18	3	A	125	3.9	16.6	12.7	5000
3	12L	12R	1	18	3	A	17	16.6	19.1	2.5	680
4	2L	2R	0	18	3	A	0	19.1	38.0	18.9	0

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	26	3	B	0	38.0	31.0	-7.0	0
2	9L	9R	2	14	3	B	46	31.0	27.1	-3.9	1840
3	8L	8R	2	18	3	B	50	27.1	22.0	-5.1	2000
4	7L	7R	3	14	3	B	81	22.0	16.1	-5.9	3240
5	6L	6R	3	14	3	B	87	16.1	10.2	-5.9	3480
6	2L	2R	1	10	3	B	37	10.2	8.8	-1.4	1480
7	2L	2R	0	10	3	B	0	8.8	0.0	-8.8	0



Cleaner Ratio Main Mix 19:1 Forward
 Cleaner Ratio Back End Mix 19:1 Reverse
 Cleaner Ratio Back End Distance 59 Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	3.85	1.06	1	1	1.06	3.85

